Notice of Allowability	Application No.	Applicant(s)	Applicant(s)	
	09/895,425	GARRARD ET AL	GARRARD ET AL.	
	Examiner	Art Unit		
	Christine Sung	2878		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
 This communication is responsive to 8/12/2003. The allowed claim(s) is/are 1-11. The drawings filed on 19 November 2002 are accepted by Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: Certified copies of the priority documents have Copies of the certified copies of the priority documents have 	er 35 U.S.C. § 119(a)-(d) of been received. been received in Application	on No	ation from the	
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No 				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material 	4∏ Intervie 6∏ Examin	of Informal Patent Application (w Summary (PTO-413), Paper eer's Amendment/Comment eer's Statement of Reasons for	No	

Application/Control Number: 09/895,425

Art Unit: 2878

Response to Amendment

1. The amendment filed on August 12, 2003 has been entered and considered.

Response to Arguments

2. Applicant's arguments, filed August 12, 2003 have been fully considered and are persuasive. The rejections of claim 1-11 have been withdrawn.

Allowable Subject Matter

- 3. Claims 1-11 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

The primary reason for allowance is that the claims state a capability for a user of a gamma camera to alter or change any parameters pertaining to the nuclear study during the operation of the gamma camera. The ability to be able to change such parameters during use is an improvement over the prior art because it enables the user to quickly change erroneous scans thus preventing possible unnecessary exposure to patients, less costlier methods for proper and accurate patient scanning, and an overall improvement over the control of the gamma camera during a nuclear study. None of the prior art of record discloses such an improvement, namely the ability to alter operating parameters of a gamma camera during the execution of the nuclear study.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/895,425

Art Unit: 2878

Conclusion

Page 3

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

6. US Pre Grant Publication 2003/0004584- this reference contains some of the elements of the instant application but cannot be applied because it is commonly assigned with the instant application.

7. US Pre Grant Publication 2003/0042423- this reference contains some of the elements of the instant application but cannot be applied because it is commonly assigned with the instant application.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine Sung whose telephone number is 703-305-0382. The examiner can normally be reached on Monday- Friday 7-4 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Porta can be reached on 703-308-4852. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Christine Sung Examiner Art Unit 2878

CS

SUPERVISORY OF THE EVAMINER TECHNOLOGY USEN OF 2800